



**2017-2018**

**Texas Education Data Standards (TEDS)**

**Public Education Information Management System (PEIMS)**

**Appendix 8.G**

**Person Enrollment Tracking (PET) Guidelines TSDS Unique ID Version**

Final Version 2018.F.1.0

March 1, 2017

Prepared by: Information Technology Services Business Management Division

---

## Table of Contents

|  |    |
|--|----|
| PET Changes for 2017-2018.....   | 1  |
| PET Data Submission Responsibilities and Specifications.....                 | 1  |
| Submission Description.....  | 1  |
| 2017-2018 PET Submission Timelines .....                                     | 1  |
| School District Responsibilities .....                                       | 1  |
| Person Enrollment Tracking (PET) Overview .....                              | 1  |
| PET Security.....  | 2  |
| Data and File Requirements for Electronic Transmission via the Internet..... | 2  |
| Required Software for Transferring a PET Extract File.....                   | 2  |
| Minimum System Requirements by Product .....                                 | 2  |
| Data Submission Specifications .....   | 2  |
| Description of PET Data Elements.....  | 3  |
| PET Edits.....   | 7  |
| PET Field Edits.....   | 7  |
| PET Context Edits .....  | 10 |
| PET Data and File Requirements .....   | 13 |
| PET XML Schema Definition (XSD).....   | 15 |
| PET XSD Data Types and Restrictions.....                                     | 20 |

## **PET Changes for 2017-2018**

**None.**

## **PET Data Submission Responsibilities and Specifications**

Close cooperation of school districts, regional Education Service Centers (ESCs), and the Texas Education Agency (TEA) is required for the successful submission of the Person Enrollment Tracking (PET) data.

### **Submission Description**

The PET Submission is a report of student enrollment information for the current school year.

### **2017-2018 PET Submission Timelines**

TEA requires submission of PET extract files as part of the Public Education Information Management System (PEIMS) data submissions. PET files are submitted each week a district is in session based on the local instructional calendar. PET file submissions should begin on or before the third week of school based on the local instructional calendar. PET files are not required in weeks that a district is not in session for at least one day or during the weeks that PEIMS submissions are due at TEA. **Exception:** Once a district has completed its final summer submission and its TSDS PEIMS data has reached a status of "LEA DATA ACCEPTED-ESC," one additional PET submission is required.

### **School District Responsibilities**

School districts are responsible for validating data according to edit rules supplied by TEA in the *2017-2018 TSDS Texas Education Data Standards (TEDS)*. Districts are responsible for delivery of data that has completed the PET validation process to TEA on a weekly basis.

Questions concerning the *TSDS Texas Education Data Standards* or any of the above topics should be directed to the TSDS PEIMS Coordinator at the district's ESC via a TSDS TIMS ticket. The coordinator endeavors to answer the question and will escalate the ticket to TEA, if necessary.

## **Person Enrollment Tracking (PET) Overview**

PET maintains up-to-date enrollment data for all students in Texas public school districts. Districts submit enrollment data for students in grades Early Education (EE) through 12 weekly, using an EDIT+ sub-application. The enrollment data required are: BirthDate, SexCode, GenerationCode, AmericanIndianAlaskanNativeCd, AsianCd, BlackAfricanAmericanCd, NativeHawaiianPacificIslandCd, WhiteCd, HispanicLatinoCd, EnrollDate, WithdrawDate, Campus ID of Enrollment, Enrollment Date and Withdrawal date. School districts can only submit PET data as extracted from their SIS. Districts can search PET to locate students or view enrollment histories.

When PET data is searched through the EDIT+ system, demographic information from the TSDS Unique ID System is displayed.

A PET file submission will no longer add a new student to PID.

A PET file submission will not update an existing student's demographics record in the TSDS Unique-ID system.

A new student can only be added, or an existing student's demographics can only be updated through the TSDS Unique ID System.

A student must have a TSDS Unique ID assigned before being included in a PET file submission.

For more information about the Person Enrollment Tracking (PET) process, please open a TSDS TIMS ticket.

### **PET Security**

Access to PET is secured by multiple levels of system and application-level security to protect the privacy of student education records as established by the *Family Educational Rights and Privacy Act (FERPA)*. Please refer to PET Access of the *TSDS Texas Education Data Standards* for information about requirements and forms to obtain access to the PET Application.

### **Data and File Requirements for Electronic Transmission via the Internet**

Please refer to Section 1 of the *TSDS Texas Education Data Standards* for information about the data requirements for electronic transmissions of PET files.

### **Required Software for Transferring a PET Extract File**

A PET extract file must be sent using the .NET applet. The PC used to send a PET file must have a current Windows Operating System with Internet Explorer and .NET Framework installed and enabled. **Files may not be sent using any other browser.**

Additionally, a patch is required for Internet Explorer 8 and above to allow the PET file to be transferred successfully. Instructions for downloading and installing the patch are available from your Education Service Center (ESC) TSDS PEIMS Support contact, or by opening a TSDS TIMS ticket requesting the documentation.

**Note:** Adobe Reader® is required to view PET reports.

### **Minimum System Requirements by Product**

Please refer to Section 1 of the *TSDS Texas Education Data Standards* for information about minimum system requirements.

### **Data Submission Specifications**

The following requirements are for use by PET users in formatting files for transmission to the agency. Failure to adhere to the standards can delay processing of the data or cause the data to be rejected.

Data for each reporting entity are in a separate PET Extract File formatted consistent with the PET XML Schema Definition (XSD) before starting the PET transmission. Files contain only district data and should be complete submissions of district data.

PET data files are constructed using the specifications outlined in the PET Data and File Requirements section. The PET file name identifies the reporting entity and follows this naming convention:

- Maximum 11 characters

| Position  | 1 <sup>st</sup>    | 2 <sup>nd</sup> – 5 <sup>th</sup>    | 6 <sup>th</sup> – 11 <sup>th</sup> | File Extension (opt) |
|---|--------------------|--------------------------------------|------------------------------------|----------------------|
| <b>Description</b>  | PET Submission (P) | 4 digit school year 2017-2018 (2018) | County-District Number             | P2018101912.xml      |
| <b>Examples</b>   |                    |                                      |                                    |                      |
| P2018101912 = 2017-2018 PET Submission for Houston ISD with no file extension |                    |                                      |                                    |                      |
| P2018227901.xml = 2017-2018 PET Submission Austin ISD with a file extension   |                    |                                      |                                    |                      |

### Description of PET Data Elements

This section contains an alphabetical listing of all the PET data elements that are reported by school districts, followed by a definition page for each data element. Some of the PET data elements have the same specifications as PEIMS data elements. Descriptions of shared elements are found in Section 8.3 of the *TSDS Texas Education Data Standards*. Information about the code tables for shared data elements is in Section 8.4 of the *TSDS Texas Education Data Standards*.

### Alphabetical List of PET Data Elements and Cross Reference to PEIMS Data Elements

| Data Element Name                      | Data Element ID | Code Table ID |
|--|-----------------|---------------|
| AmericanIndianAlaskanNativeCd          | E1059           | C088          |
| AsianCd                                | E1060           | C088          |
| BirthDate                              | E0006P          |               |
| BlackAfricanAmericanCd                 | E1061           | C088          |
| CampusIDofEnrollment                   | E0782           |               |
| EnrollDate                             | E1050P          |               |
| FirstName                              | E0703           |               |
| GenerationCode                         | E0706           | C012          |
| HispanicLatinoCd                       | E1064           | C088          |
| LastName                               | E0705           |               |
| LocalID<br>(LOCAL-STUDENT-ID in PEIMS) | E0923           |               |
| GradeLevelCode                         | E0017           | C050          |
| MiddleName                             | E0704           |               |
| NativeHawaiianPacificIslandCd          | E1062           | C088          |
| SexCode                                | E0004           | C013          |
| StudentID                              | E0001           |               |
| TXUniqueStudentID                      | E1523           |               |
| WhiteCd                                | E1063           | C088          |
| WithdrawDate                           | E1051P          |               |

| Element ID | Name      | Date Issued | Date Updated |
|------------|-----------|-------------|--------------|
| E0006P     | BirthDate | 01/16/06    | 05/29/09     |

| Definition  |
|---|
| BirthDate indicates the year, month, and day of the person's birth. |

| Code Table ID |
|---------------|
|               |

| Domain of Values |
|------------------|
|                  |

| Special Instructions  |
|---|
| BirthDate must be a valid date and less than enrollment date. (implemented by edits P029 and P030.) |

| Data Specifications |       |            |
|---------------------|-------|------------|
| Length              | Type  | Pattern    |
| 10                  | CODED | yyyy-mm-dd |

| Element ID | Name       | Date Issued | Date Updated |
|------------|------------|-------------|--------------|
| E1050P     | EnrollDate | 01/16/06    | 12/01/16     |

| Definition  |
|---|
| <p>EnrollDate indicates the year, month, and day of the student’s enrollment at the reporting campus.</p> |

| Code Table ID |
|---------------|
|               |

| Domain of Values                             |
|--|
| yyyy = 2017-2018<br>mm = 01-12<br>dd = 01-31 |

| Special Instructions   |
|--|
| <p>EnrollDate must be a valid date between 2017-06-01 and 2018-08-31. EnrollDate must not be greater than the PET file submission date. (implemented by edits P020 and P021)</p> <p>EnrollDate is a required data element. Each PETEventSet must have one and only one EnrollDate.</p> |

| Data Specifications |       |            |
|---------------------|-------|------------|
| Length              | Type  | Pattern    |
| 10                  | CODED | yyyy-mm-dd |

| Element ID | Name         | Date Issued | Date Updated |
|------------|--------------|-------------|--------------|
| E1051P     | WithdrawDate | 01/16/06    | 12/01/16     |

| Definition   |
|--|
| WithdrawDate indicates the year, month, and day of the student’s withdrawal from the reporting campus. |

| Code Table ID |
|---------------|
|               |

| Domain of Values                             |
|--|
| yyyy = 2017-2018<br>mm = 01-12<br>dd = 01-31 |

| Special Instructions  |
|---|
| WithdrawDate must be a valid date between 2017-06-01 and 2018-08-31. WithdrawDate must not be greater than the PET file submission date and it must be greater than the EnrollDate in its associated PETEventSet. (implemented by edit P022, P023, and P024)<br><br>When available, it is a required data element and must be reported. Each PETEventSet must have one and only one WithdrawDate. |

| Data Specifications |       |            |
|---------------------|-------|------------|
| Length              | Type  | Pattern    |
| 10                  | CODED | yyyy-mm-dd |



## PET Edits

### Overview

This section documents the edits that ensure the quality of the enrollment data submitted to TEA. The edits are organized into the following categories:

- PET Field Edits
- PET Context Edits

A student must exist in the TSDS Unique-ID System before a PET event can be created for the student.

### PET Field Edits

A PET event is an individual student’s enrollment to or withdrawal from a CAMPUS-ID-OF-ENROLLMENT tightly coupled with the date the enrollment or withdrawal took place. Although the districts are provided with a manual capability to create a PET event, most districts submit their enrollment and withdrawal events to TEA in an XML-based extract file. The file is referred to as an ‘extract’ file because it is created through a vendor-supported process that extracts event information from a district’s student information system. The extracted data are stored in an XML-based file consistent with the PET XML Schema Definition (XSD). Prior to transferring the PET Extract File to TEA, the system verifies the structure of the file against the PET XSD. In addition, the system verifies the contents of the file against the declared data types and restrictions defined for each element in the PET XSD for each simple type element. The data types and restrictions defined with the PET XSD constitute the PET Field Edits.

### PET Field Edits – Restrictions

Restrictions control acceptable values for XML elements. Restrictions on XML elements are called facets. The following table provides a listing of restrictions used in the PET XSD. In combination with an element’s declared data type, restrictions enable the XSD validation process not only to validate the structure of the XML file but also to validate the data values contained within the file against its XML schema definition. Every simple type element within the PET XSD has a restriction that limits the domain of acceptable values. PET Extract Files improperly structured or containing unacceptable values will not transfer to the TEA for further processing.

#### Available XSD Restrictions

| Restriction  | Description  |
|--------------|--|
| minInclusive | Specifies the lower bounds for numeric values (the value must be greater than or equal to this value)              |
| maxInclusive | Specifies the upper bounds for numeric values (the value must be less than or equal to this value)                 |
| minLength    | Specifies the minimum number of characters or list items allowed (the value must be equal to or greater than zero) |
| maxLength    | Specifies the maximum number of characters or list items allowed (the value must be equal to or greater than zero) |
| pattern      | Defines the exact sequence of characters that are acceptable   |
| whiteSpace   | Specifies how white space (line feeds, tabs, spaces, and carriage returns) is handled                              |


### **PET Context Edits**

After a PET Extract File is successfully validated against the PET XSD and transferred to TEA, the system places the file in a queue for further processing. As resources are available, the file is opened and the PET Records in the file are validated and loaded. As illustrated below, the PET validation and load process is divided into two logical stages:

- Verify the student in *TSDS Unique ID System*; and
- Validate and load the PET events.

PET Context Edits are used in both stages. If the system does not find an exact match for the student ID and major demographics in the *TSDS Unique ID System*, an error will result. If the system does find an exact match in the *TSDS Unique ID System*, the PET events are validated against appropriate PET Context Edits before being loaded into the PET Event table. Each of the PET Context Edits is presented in the next section.

### PET Validate and Load Process



## PET Context Edits

A PET Context Edit is not required for any of the following data elements because data quality is assured through the XSD validation process:

- BirthDate
- SexCode
- GenerationCode
- HispanicLatinoCd

PET Context Edits have been defined for BirthDate, SexCode, GenerationCode, AmericanIndianAlaskanNativeCd, AsianCd, BlackAfricanAmericanCd, NativeHawaiianPacificIslandCd, WhiteCd, and HispanicLatinoCd in support of the PET Student Add process. See “PET Edits” section.

| <b>PET EDIT #</b> | <b>Data Element(s)</b>                | <b>Edit Rule Text</b>  |
|-------------------|---------------------------------------|--|
| P001              | StudentID                             | The first character of StudentID must be “S” or “0”-“8”.   |
| P002              | StudentID                             | Each character of StudentID must not be the same number.   |
| P003              | StudentID                             | The first three characters of StudentID must not be “000”.   |
| P004              | StudentID                             | If first character of StudentID is not an “S”, the fourth and fifth characters must not be “00”.   |
| P005              | StudentID                             | If first character of StudentID is not an “S”, the last four characters must not be “0000”.  |
| P006              | FirstName,<br>MiddleName,<br>LastName | Former edit deleted.   |
| P007              | FirstName,<br>MiddleName,<br>LastName | The FirstName, MiddleName, and/or LastName must only contain the following characters: <ul style="list-style-type: none"> <li>• A-Z</li> <li>• 0-9</li> <li>• Apostrophe</li> <li>• Hyphen</li> <li>• Space character</li> </ul> |
| P008              | FirstName,<br>MiddleName,<br>LastName | Name must not contain only apostrophes.  |

| <b>PET EDIT #</b> | <b>Data Element(s)</b>          | <b>Edit Rule Text</b>  |
|-------------------|---------------------------------|--|
| P009              | FirstName, MiddleName, LastName | Name must not contain only hyphens.  |
| P010              | FirstName, LastName             | Name must not contain only spaces.   |
| P011              | MiddleName                      | Former edit deleted  |
| P012              | FirstName, MiddleName, LastName | The FirstName, MiddleName, and/or LastName must not contain only “0” – “9”.  |
| P013              | DistrictID                      | The DistrictID contained within the CampusIDofEnrollment must match an entry registered with the TEA.  |
| P014              | CampusIDof Enrollment           | The first six characters of the CampusIDofEnrollment must be the same as the ID of the district transferring the PET Extract File.   |
| P015              | CampusIDof Enrollment           | CampusIDofEnrollment must match an entry registered with the TEA as an active instructional campus and is not a budgeted campus.   |
| P018              | CampusIDof Enrollment           | When creating or maintaining a PET Event, the first six characters of the CampusIDof Enrollment must match the district-level user’s Agent ID.   |
| P019              | CampusIDof Enrollment           | When creating or maintaining a PET Event, the CampusIDofEnrollment must match the campus-level user’s Agent ID.  |
| P020              | EnrollDate                      | When creating or maintaining a PET Event, the EnrollDate must fall within the date range defined for the PET School Year in context. In general, the school year begins on June 1 and extends through August 31 of the following year.   |
| P021              | EnrollDate                      | The EnrollDate must not be greater than the PET file submission date.  |
| P022              | WithdrawDate                    | When creating or maintaining a PET Event, if a prior enrollment record for the CampusIDofEnrollment does not exist, the withdrawal event is invalid.   |
| P023              | WithdrawDate                    | When creating or maintaining a PET Event, the WithdrawDate must fall within the date range defined for the PET School Year in context. In general, the school year begins on June 1 and extends through August 31 of the following year. |
| P024              | WithdrawDate                    | The WithdrawDate must not be greater than the PET file submission date.  |

| PET EDIT # | Data Element(s)   | Edit Rule Text   |
|------------|---|--|
| P025       | LocalID   | When creating or maintaining a PET Event, the Local ID must be consistent with the <i>TSDS Texas Education Data Standards</i> ' Name Field pattern. In addition to the space character, this pattern allows any of the following characters: ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789 ~ ! @ # \$ % ^ & * ( ) - _ + = : ; " ' , . / < > ? |
| P026       | CampusData  | Two or more CampusData elements for the same CampusIDofEnrollment for one Student are invalid.<br><br>Note: All the PET Events for one Student at a given CampusIDofEnrollment should be clustered together in one or more PETEventSet elements.   |
| P027       | PETEventSet   | Two or more incomplete PETEventSets for the same CampusIDofEnrollment for one Student are invalid.   |
| P028       | EnrollDate / WithdrawDate   | Two or more equal PET Event dates for the same CampusIDofEnrollment for one Student in two different PET Event Sets are invalid.   |
| P029       | BirthDate   | BirthDate must be a valid date.  |
| P030       | BirthDate   | BirthDate must be less than the enrollment date.   |
| P031       | AmericanIndianAlaskanNativeCd, AsianCd, BlackAfricanAmericanCd, NativeHawaiianPacificIslandCd, or WhiteCd | AmericanIndianAlaskanNativeCd, AsianCd, BlackAfricanAmericanCd, NativeHawaiianPacificIslandCd, or WhiteCd must be '1'.   |

## PET Data and File Requirements

### Rules for XML Schemas


School districts are permitted to submit student enrollment and withdrawal events to TEA using the XML-based extract file process. The extract file process extracts information from district student information systems and stores it in an XML-based file consistent with the PET **XML Schema Definition (XSD)**.

The following business rules apply for XML schemas and the XSD validation process:

- The XML schema supports a number of built-in data types (e.g., date). When an XML element has a defined data type, a restriction is placed on the element content.
- The XML schema supports restrictions. In conjunction with the element's declared data type, restrictions are used to control acceptable values for XML elements.
- Declared data types and restrictions enable the XSD validation process.
- The client-side XSD validation process is used to validate the XML file structure and data values against the schema definition.
- Every element within the PET XSD has a defined data type and one or more restrictions.
- PET performs a client-side validation of the PET extract file against the published PET XSD.
- If the client-side validation fails, PET does not transfer the extract file to TEA.

**Note:** Similar to the *TSDS Texas Education Data Standards*, the PET XSD is updated and republished by TEA annually. Student Information System (SIS) vendors support updates to the PET XSD.

### Graphical Representation of PET





## PET XML Schema Definition (XSD)

```
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema" id="PIDEnrollmentTracking">
  <xs:element name="PETExtract">
    <xs:complexType>
      <xs:sequence maxOccurs="unbounded">
        <xs:element name="PETRecord">
          <xs:complexType>
            <xs:sequence>
              <xs:element name="StudentID">
                <xs:annotation>
                  <xs:documentation>E0001 STUDENT-ID</xs:documentation>
                </xs:annotation>
                <xs:simpleType>
                  <xs:restriction base="xs:string">
                    <xs:pattern value="[S0-8][0-9]{8}"/>
                  </xs:restriction>
                </xs:simpleType>
              </xs:element>
              <xs:element name="TXUniqueStudentID">
                <xs:annotation>
                  <xs:documentation>E1523 TX-UNIQUE-STUDENT-ID</xs:documentation>
                </xs:annotation>
                <xs:simpleType>
                  <xs:restriction base="xs:string">
                    <xs:pattern value="[0-9]{10}"/>
                  </xs:restriction>
                </xs:simpleType>
              </xs:element>
              <xs:element name="FirstName">
                <xs:annotation>
                  <xs:documentation>E0703 FIRST-NAME</xs:documentation>
                </xs:annotation>
                <xs:simpleType>
                  <xs:restriction base="xs:string">
                    <xs:minLength value="1"/>
                    <xs:maxLength value="17"/>
                    <xs:whiteSpace value="preserve"/>
                    <xs:pattern value="[a-zA-Z0-9 -]{1,}"/>
                  </xs:restriction>
                </xs:simpleType>
              </xs:element>
              <xs:element name="MiddleName" minOccurs="0">
                <xs:annotation>
                  <xs:documentation>E0704 MIDDLE-NAME</xs:documentation>
                </xs:annotation>
                <xs:simpleType>
                  <xs:restriction base="xs:string">
                    <xs:minLength value="0"/>
                    <xs:maxLength value="14"/>
                    <xs:whiteSpace value="preserve"/>
                    <xs:pattern value="[a-zA-Z0-9 -]{0,}"/>
                  </xs:restriction>
                </xs:simpleType>
              </xs:element>
              <xs:element name="LastName">
                <xs:annotation>
                  <xs:documentation>E0705 LAST-NAME</xs:documentation>
```

```

</xs:annotation>
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:minLength value="1"/>
    <xs:maxLength value="25"/>
    <xs:whiteSpace value="preserve"/>
    <xs:pattern value="[a-zA-Z0-9 -]{1,}"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="BirthDate">
  <xs:annotation>
    <xs:documentation>E0006P DATE-OF-BIRTH</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:date"/>
  </xs:simpleType>
</xs:element>
<xs:element name="SexCode">
  <xs:annotation>
    <xs:documentation>E0004 SEX-CODE</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="[M|F]"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="GenerationCode" minOccurs="0">
  <xs:annotation>
    <xs:documentation>E0706 GENERATION-CODE</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="1"/>
      <xs:pattern value="([1-9 A-C])*"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="AmericanIndianAlaskanNativeCd">
  <xs:annotation>
    <xs:documentation>E1059 AMERICAN-INDIAN-OR-ALASKAN-NATIVE-CODE</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="[01]"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="AsianCd">
  <xs:annotation>
    <xs:documentation>E1060 ASIAN-CODE</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="[01]"/>
    </xs:restriction>

```

```

</xs:simpleType>
</xs:element>
<xs:element name="BlackAfricanAmericanCd">
  <xs:annotation>
    <xs:documentation>E1061 BLACK-OR-AFRICAN AMERICAN-CODE</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="[01]"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="NativeHawaiianPacificIslandCd">
  <xs:annotation>
    <xs:documentation>E1062 NATIVE-HAWAIIAN-PACIFIC-ISLANDER-CODE</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="[01]"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="WhiteCd">
  <xs:annotation>
    <xs:documentation>E1063 WHITE-CODE</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="[01]"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="HispanicLatinoCd">
  <xs:annotation>
    <xs:documentation>E1064 HISPANIC-LATINO-CODE</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="[01]"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="PETData">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="CampusData" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="CampusIDofEnrollment">
              <xs:annotation>
                <xs:documentation>E0782 CAMPUS-ID-OF-ENROLLMENT</xs:documentation>
              </xs:annotation>
              <xs:simpleType>
                <xs:restriction base="xs:string">
                  <xs:pattern value="[0-9]{9}"/>
                </xs:restriction>
              </xs:simpleType>
            </xs:sequence>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>

```

```

</xs:element>
<xs:element name="LocalID" minOccurs="0">
  <xs:annotation>
    <xs:documentation>E0923 LOCAL-STUDENT-ID</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="0"/>
      <xs:maxLength value="9"/>
      <xs:pattern value="([A-Z0-9 ~!@#%&()*+=:;&quot;.,/&lt;&gt;?'^_ -])*"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="GradeLevelCode">
  <xs:annotation>
    <xs:documentation>E0017 GRADE-LEVEL-CODE</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="[01EKP][0-9EGK]"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="PETEventSet" maxOccurs="unbounded">
  <xs:complexType>
    <xs:all>
      <xs:element name="EnrollDate">
        <xs:annotation>
          <xs:documentation>E1050P ENROLL-DATE</xs:documentation>
        </xs:annotation>
        <xs:simpleType>
          <xs:restriction base="xs:date">
            <xs:minInclusive value="2017-06-01"/>
            <xs:maxInclusive value="2018-08-31"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="WithdrawDate" minOccurs="0">
        <xs:annotation>
          <xs:documentation>E1051P WITHDRAW-DATE</xs:documentation>
        </xs:annotation>
        <xs:simpleType>
          <xs:restriction base="xs:date">
            <xs:minInclusive value="2017-06-01" fixed="false"/>
            <xs:maxInclusive value="2018-08-31"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

```

```
</xs:sequence>  
</xs:complexType>  
<xs:key name="PETKey">  
  <xs:selector xpath="PETRecord"/>  
  <xs:field xpath="StudentID"/>  
</xs:key>  
</xs:element>  
</xs:sequence>  
</xs:complexType>  
</xs:element>  
</xs:schema>
```

**PET XSD Data Types and Restrictions**

PET supports built-in data types. Restrictions control acceptable values for XML elements. Restrictions also used in the XSD validation process validate both the structure of the XML file and the data values against the XML Schema Definition.

**Note:** In constructing a PET XML file, for each StudentID, all EnrollDate elements are clustered together followed by all WithdrawDate elements clustered together.

**PET XSD Data Types and Restrictions**

| Element Name             | Data Type | Restriction  |
|--------------------------|-----------|--|
| <b>StudentID</b>         | String    | <ul style="list-style-type: none"> <li>• The only acceptable value for the first position is an ‘S’ or a character in the range of 0 to 8.</li> <li>• For positions two through nine, the only acceptable value is eight characters in a sequence with each character in a range from 0 to 9.</li> </ul>   |
| <b>TXUniqueStudentID</b> | String    | <ul style="list-style-type: none"> <li>• The TX-UNIQUE-STUDENT-ID is issued to schools by the <i>TSDS TX Unique ID Application</i>. The TX-UNIQUE-STUDENT-ID cannot be generated by a Local Education Agency (LEA).</li> </ul>   |
| <b>FirstName</b>         | String    | <ul style="list-style-type: none"> <li>• The minimum length is 1 and the maximum length is 17 characters.</li> <li>• White space is preserved.</li> <li>• The only acceptable value is a sequence of at least 1 to 17 characters with each character either an upper case A through Z, an apostrophe, a hyphen, a 0 through 9, or a space.</li> </ul>    |
| <b>MiddleName</b>        | String    | <ul style="list-style-type: none"> <li>• The minimum length is 0 and the maximum length is 14 characters.</li> <li>• White space is preserved.</li> <li>• The only acceptable value is a sequence 0 to 14 characters with each character either an upper case A through Z, an apostrophe, a hyphen, a 0 through 9, a space, or an equal sign.</li> </ul> |
| <b>LastName</b>          | String    | <ul style="list-style-type: none"> <li>• The minimum length is 1 and the maximum length is 25 characters.</li> <li>• White space is preserved.</li> <li>• The only acceptable value is a sequence of at least 1 to 25 characters with each character either an upper case A through Z, an apostrophe, a hyphen, a 0 through 9, or a space.</li> </ul>    |
| <b>BirthDate</b>         | Date      | <ul style="list-style-type: none"> <li>• This data type implements an International Standards Organization (ISO) data type in the form of yyyy-mm-dd.</li> <li>• BirthDate must be a valid date.</li> </ul>  |

| Element Name                         | Data Type | Restriction  |
|--------------------------------------|-----------|--|
| <b>SexCode</b>                       | String    | <ul style="list-style-type: none"> <li>• Limited to a single character.</li> <li>• The only acceptable value is one of the following letters: “M” or “F”.</li> </ul>   |
| <b>GenerationCode</b>                | String    | <ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Minimum length of 0 and a maximum length of a single character.</li> <li>• If provided, the only acceptable value is a single character in a range from 1 to 9.</li> </ul>   |
| <b>AmericanIndianAlaskanNativeCd</b> | String    | <ul style="list-style-type: none"> <li>• Limited to a single character.</li> <li>• The only acceptable values are single characters 0 and 1.</li> </ul>  |
| <b>AsianCd</b>                       | String    | <ul style="list-style-type: none"> <li>• Limited to a single character.</li> <li>• The only acceptable values are single characters 0 and 1.</li> </ul>  |
| <b>BlackAfricanAmericanCd</b>        | String    | <ul style="list-style-type: none"> <li>• Limited to a single character.</li> <li>• The only acceptable values are single characters 0 and 1.</li> </ul>  |
| <b>NativeHawaiianPacificIslandCd</b> | String    | <ul style="list-style-type: none"> <li>• Limited to a single character.</li> <li>• The only acceptable values are single characters 0 and 1.</li> </ul>  |
| <b>WhiteCd</b>                       | String    | <ul style="list-style-type: none"> <li>• Limited to a single character.</li> <li>• The only acceptable values are single characters 0 and 1.</li> </ul>  |
| <b>HispanicLatinoCd</b>              | String    | <ul style="list-style-type: none"> <li>• Limited to a single character.</li> <li>• The only acceptable values are single characters 0 and 1.</li> </ul>  |
| <b>PETData</b>                       | N/A       | <ul style="list-style-type: none"> <li>• Section of the XML file that contains all of the PET events for a given student organized by Campus ID of Enrollment.</li> </ul>  |
| <b>CampusData</b>                    | N/A       | <ul style="list-style-type: none"> <li>• Section of the XML file that contains all of the PET events for a given student for a single Campus ID of Enrollment organized into one or more PET Event Sets.</li> <li>• A PET Event Set is comprised of one and only one enrollment event and one withdrawal event, if available. If the withdrawal event is available, it must be reported in the PET Event Set.</li> <li>• For a given student, there should be one PET Event Set for each occurrence of a ‘real’ or physical enrollment and withdrawal from the Campus ID of Enrollment. Enrollment and withdrawal events created internally in support of a program or eligibility change should not be reported.</li> </ul> |

| Element Name                | Data Type | Restriction   |
|-----------------------------|-----------|---|
| <b>CampusIDofEnrollment</b> | String    | <ul style="list-style-type: none"> <li>• Declared as a string data type in order to allow for zeros in the first position.</li> <li>• The only acceptable value is nine characters in a sequence with each character in a range from 0 to 9.</li> </ul>   |
| <b>LocalID</b>              | String    | <ul style="list-style-type: none"> <li>• LocalID is an optional element from the point of view of the PET XSD. If provided, it has been declared as a string data type with a minimum length of 0 and a maximum length of 9.</li> <li>• Consistent with the <i>TSDS Texas Education Data Standards</i>' Name Field pattern, any of the following characters, in addition to the space character, are valid:<br/> ABCDEF GHIJK LMNOPQR STUVWXY Z012345678<br/> 9 ~ ! @ # \$ % ^ &amp; * ( ) - _ + = : ; " ' , . / &lt; &gt; ?</li> </ul> |
| <b>GradeLevelCode</b>       | String    | <ul style="list-style-type: none"> <li>• GRADE-LEVEL-CODE indicates the current grade level of the student.</li> <li>• The only acceptable value is one of the following: EE, PK, KG, 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12</li> </ul>   |
| <b>PETEventSet</b>          | N/A       | <ul style="list-style-type: none"> <li>• Section of the XML file that contains the PET events for a single PET Event Set. This set must contain one enrollment event and one withdrawal event, if available.</li> <li>• At most, a given PET Event Set will contain one enrollment event and one withdrawal event.</li> </ul>   |
| <b>EnrollDate</b>           | Date      | <ul style="list-style-type: none"> <li>• Required data element.</li> <li>• A PET Event Set must contain one enrollment event.</li> <li>• The only acceptable value is a valid date with a minimum value greater than or equal to 2017-06-01 and less than or equal to 2018-08-31.</li> </ul>  |
| <b>WithdrawDate</b>         | Date      | <ul style="list-style-type: none"> <li>• Required data element and must be reported when available.</li> <li>• A PET Event Set may contain one withdrawal event.</li> <li>• The only acceptable value is a valid date with a minimum value greater than or equal to 2017-06-01 and less than or equal to 2018-08-31.</li> </ul>   |